

<b>Notice of Allowability</b>	Application No.	Applicant(s)	
	09/941,268	HOLDER ET AL.	
	Examiner	Art Unit	
	Julio C. Gonzalez	2834	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to 07/07/03.
- The allowed claim(s) is/are 1,6 and 14-17.
- The drawings filed on 07 July 2003 are accepted by the Examiner.
- Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - All
  - Some\*
  - None
 of the:
  - Certified copies of the priority documents have been received.
  - Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_.
- Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
  - The translation of the foreign language provisional application has been received.
- Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE**

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS must be submitted.
  - including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - hereto or 2)  to Paper No. \_\_\_\_.
  - including changes required by the proposed drawing correction filed \_\_\_\_, which has been approved by the Examiner.
  - including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.

- DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- Notice of References Cited (PTO-892)
- Notice of Draftsperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO-1449), Paper No. \_\_\_\_.
- Examiner's Comment Regarding Requirement for Deposit of Biological Material
- Notice of Informal Patent Application (PTO-152)
- Interview Summary (PTO-413), Paper No. \_\_\_\_.
- Examiner's Amendment/Comment
- Examiner's Statement of Reasons for Allowance
- Other

### **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance: The prior art discloses a wireless power supply having a form factor equal to a conventional power supply, a DC power generator and a DC/AC converter. However, the prior art fails to show, in combination with the invention, a retrofittable wireless power supply for powering a personal computer such that the retrofittable power supply device is adapted to replace the conventional wired power supply, a self-contained power generation module disposed within the power generation module housing wherein the module has a DC power generator generating power for the personal computer and the generator having liquid catalytic proto exchange membrane module fuel cell and water retention mechanism and the retrofittable is insertable into the framework of the personal computer that is occupied by the conventional wired power supply after removal and the retrofittable power supply replaces the wired power supply device during operation of the personal computer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julio C. Gonzalez whose telephone number is (703) 305-1563. The examiner can normally be reached on M-F (8AM-5PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on (703) 308-1371. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Jcg

*Thomas M. Dwyer*  
8